

STOCK TUBES				
Part Number	O.D. (Inches)	I.D. (Inches)	Length (Inches)	Weight (lbs)
SP-10827	0.94	0.56	13.38	0.40
SP-10898	1.19	0.81	11.38	0.40
SP-10879	1.56	1.06	11.88	0.70
SP-10885	1.88	0.56	11.88	1.40
SP-10762	2.00	0.56	14.88	2.20
SP-10890	2.00	0.81	14.88	1.90
SP-10848	2.25	1.31	16.25	2.20
SP-10880	2.38	1.56	11.88	1.50
SP-10829	2.63	0.88	5.75	1.60
SP-10796	2.63	1.38	16.31	3.30
SP-10830	2.69	1.38	5.75	1.30
SP-12315	2.75	0.75	5.75	1.50
SP-12308	2.75	1.25	5.69	1.30
SP-10881	2.88	1.81	11.88	2.30
SP-10845	3.19	0.56	5.94	2.10
SP-10868	3.25	1.06	3.94	1.30
SP-10768	3.25	2.31	5.94	1.30
SP-10801	3.31	1.50	14.88	5.00
SP-10782	3.31	2.00	6.63	1.80
SP-10795	3.38	1.88	13.38	3.90
SP-10850	3.50	2.50	12.38	2.80
SP-10763	3.81	1.38	0.75	0.50
SP-10790	3.81	2.50	12.38	3.80
SP-10852	3.88	2.56	6.56	2.10
SP-10893	3.94	0.81	3.94	2.10
SP-10855	3.94	2.69	4.00	1.30
SP-10793	3.94	3.00	6.44	1.70
SP-10870	4.00	2.00	11.50	5.40
SP-10869	4.00	2.00	5.70	2.70
SP-10892	4.19	0.81	1.94	1.20
SP-10844	4.19	2.56	5.88	2.80
SP-10769	4.19	3.31	5.94	1.70
SP-10842	4.19	3.63	11.88	2.50
SP-10882	4.25	2.50	11.75	5.40
SP-10878	4.38	3.19	5.94	1.90
SP-10861	4.38	3.81	11.88	2.60
SP-12316	4.56	2.31	11.44	6.80
SP-10901	4.69	2.44	7.94	4.80
SP-10862	4.69	4.06	11.88	2.70

STOCK TUBES				
Part Number	O.D. (Inches)	I.D. (Inches)	Length (Inches)	Weight (lbs)
SP-10816	4.75	2.94	7.94	4.10
SP-10791	4.75	3.50	7.44	3.00
SP-12310	4.81	2.81	7.69	4.50
SP-12317	4.81	3.31	7.13	3.40
SP-10789	4.88	4.25	7.94	2.10
SP-10858	5.06	1.81	3.81	3.10
SP-10810	5.19	3.06	11.88	8.00
SP-10840	5.19	3.81	5.94	3.10
SP-10803	5.25	2.00	14.75	12.60
SP-10767	5.38	3.94	3.81	2.20
SP-10887	5.44	4.56	21.81	7.60
SP-10853	5.75	3.81	3.75	2.80
SP-12319	5.75	3.94	12.88	9.00
SP-10784	5.75	4.44	11.44	5.60
SP-11526	5.75	4.44	13.38	6.60
SP-10794	5.81	3.94	6.44	4.30
SP-10792	5.81	4.50	7.44	4.10
SP-10765	5.88	3.06	11.88	12.30
SP-10857	5.94	5.06	11.88	4.60
SP-10797	6.19	4.50	12.38	8.60
SP-10788	6.44	5.44	11.44	5.60
SP-10838	6.69	4.50	7.56	8.00
SP-10781	7.13	5.19	13.25	12.20
SP-10799	7.13	5.44	12.38	10.30
SP-10771	7.19	2.44	12.38	22.50
SP-12305	7.69	4.31	7.63	4.00
SP-10826	7.75	5.13	7.81	11.90
SP-12321	7.88	6.50	12.44	9.60
SP-10783	8.13	6.38	4.19	4.10
SP-10819	8.25	5.19	7.88	13.30
SP-10786	8.88	7.63	7.63	6.40
SP-10813	9.50	6.81	5.69	9.10
SP-10807	9.50	8.13	5.69	5.30
SP-10884	9.63	7.88	11.88	13.80
SP-10804	10.31	7.38	13.38	25.40
SP-10778	10.38	8.81	13.38	15.00
SP-10883	10.44	8.81	11.88	15.30
SP-10812	11.25	9.31	3.81	6.00
SP-12322	11.63	10.00	12.63	17.00

STOCK TUBES				
Part Number	O.D. (Inches)	I.D. (Inches)	Length (Inches)	Weight (lbs)
SP-10764	11.88	7.06	11.88	43.30
SP-10811	12.50	10.75	3.81	6.20
SP-10896	12.56	9.44	3.78	10.50
SP-10772	12.69	11.25	13.00	17.30
SP-10800	12.75	11.31	7.44	10.50
SP-10859	13.19	10.88	3.81	8.10
SP-10814	13.44	11.81	3.81	6.20
SP-10835	13.44	12.13	3.81	6.00
SP-12306	13.50	11.44	3.63	7.40
SP-10805	14.06	11.81	3.81	8.60
SP-10809	14.63	13.56	3.81	5.10
SP-10891	14.88	12.56	3.81	9.60
SP-10766	15.88	14.63	3.81	8.00
SP-10874	16.13	13.38	3.81	11.80
SP-10843	16.69	14.63	3.81	9.30
SP-10808	16.88	15.69	3.81	6.50
SP-10871	17.31	16.38	3.81	5.60
SP-10774	17.81	16.81	13.13	21.80
SP-10895	17.88	14.63	3.81	16.70
SP-12307	17.88	15.13	3.63	12.60
SP-10841	17.94	16.81	3.81	7.10
SP-10828	18.38	15.63	3.81	14.60
SP-10817	19.75	17.06	3.81	16.20
SP-10834	19.88	18.38	3.81	10.70
SP-12304	21.19	18.44	3.69	15.40
SP-10779	21.50	19.63	3.81	12.50
SP-10818	21.75	18.44	3.81	16.50
SP-10776	23.00	20.56	3.81	17.00
SP-12125	23.56	20.63	3.81	19.10
SP-10815	23.81	22.00	3.81	13.30
SP-11439	24.38	22.06	3.81	15.20
SP-10777	27.00	22.82	3.86	14.50
SP-11503	27.00	24.44	3.81	20.50
SP-10875	27.56	26.13	3.81	12.30
SP-11267	28.63	25.93	3.81	19.70
SP-10780	30.31	26.88	3.81	28.50
SP-10876	32.56	31.13	3.81	14.60
SP-11265	32.75	30.19	3.81	23.10
SP-11498	33.88	31.31	3.81	23.50

STOCK TUBES				
Part Number	O.D. (Inches)	I.D. (Inches)	Length (Inches)	Weight (lbs)
SP-11828	35.13	32.31	3.81	25.20
SP-11499	37.63	34.81	3.81	31.50
SP-11268	37.88	35.56	3.81	24.00
SP-12381	42.13	39.92	3.81	25.50
SP-12379	50.38	47.87	3.87	32.00
SP-11497	52.38	49.81	3.81	36.80
SP-11500	57.63	53.81	3.81	64.50
SP-12380	64.75	62.25	3.87	41.40

STOCK SOLID RODS				
Part Number	O.D.	I.D.	Length	Weight
SP-10837	0.31	N/A	5.95	0.1
SP-10836	0.44	N/A	8.94	0.1
SP-10886	0.44	N/A	39.75	0.3
SP-10756	0.69	N/A	47.75	0.9
SP-10758	0.88	N/A	46.00	1.6
SP-10889	1.31	N/A	17.88	1.2
SP-10757	1.44	N/A	47.75	3.7
SP-10759	1.94	N/A	47.75	6.5
SP-12323	2.31	N/A	45.88	9.3
SP-10755	2.38	N/A	15.75	9.4

HYTREL® FORMULATIONS			
Hytrel® is a registered trademark of DuPont™			
Variation#	Compound*	Grade	Description
-01	413	5555HS	Black with UV Stabilizer
-02	441	5555HS	Natural with UV Stabilizer
-04	713	7246	Black with UV Stabilizer
-08	741	7246	Natural with UV Stabilizer
-10	463	5555HS	Orange with UV Stabilizer

\*Contact us for additional compound formulations; call 716-852-1435 or email polymers@hutchinsoninc.com.

TPE 019
Internally Lubricated 55D Polyester Elastomer

For price quotes, or information on materials and sizes not listed, call 716-852-1435 or send an email to [polymers@hutchinsoninc.com](mailto:polymers@hutchinsoninc.com).

**TERMS & CONDITIONS**

- Not all materials can be molded in all sizes.
- For non-stock materials, lead-time to be quoted upon request.
- Minimum order is \$500, setup charges apply to meet minimum order value.
- Prices are FOB Buffalo, New York.
- All stock shapes are built to order. No returns.

**STOCK SHAPES INSPECTION AND MANUFACTURING POLICY**

- Our non-destructive inspection methods (visual and x-ray) are limited to detecting voids down to 1/4" - 3/8", depending on wall thickness.
- Voids and porosity less than 1/4" may be present in some parts. Harder durometer materials are more likely to exhibit voiding.
- Additional colorants are available at an extra charge.
- Due to processing limitations on some materials and sizes, Hutchinson reserves the right to cut down parts to remove voids or mark part void location and ship against total length. Inclusions of similar materials cannot be detected and may be visible in light colored parts.
- Light colors such as natural and orange can have discoloration that is not degraded material and does not affect product performance.